

# JuMP Syntax Cheatsheet

Applied Optimization with Julia

# Basic Setup

```
using JuMP, HiGHS

# Create a model
model = Model(HiGHS.Optimizer)

# Set optimizer attribute (optional)
set_optimizer_attribute(model, "time_limit", 60.0)
```

# Variables

## Declaration

```
# Continuous Variables
@variable(model, x)                      # Unbounded continuous
@variable(model, x >= 0)                   # Non-negative continuous
@variable(model, 0 <= x <= 10)            # Bounded continuous

# Integer Variables
@variable(model, x, Int)                  # Unbounded integer
@variable(model, x >= 0, Int)              # Non-negative integer
@variable(model, 0 <= x <= 10, Int)        # Bounded integer

# Binary Variables
@variable(model, x, Bin)                  # Binary (0 or 1)
```

## Containers

```
# Arrays
@variable(model, x[1:5])                  # Array of 5 variables
@variable(model, x[1:5] >= 0)              # Non-negative array
@variable(model, x[1:5], Bin)             # Binary array

# Matrices
@variable(model, x[1:3, 1:4])            # 3x4 matrix of variables
@variable(model, x[1:3, 1:4], Int)         # Integer matrix

# Custom Indexing
indices = ["A", "B", "C"]
@variable(model, x[i in indices])          # Custom indexed array
```

# Constraints

## Declaration

```
# Basic constraints
@constraint(model, con1, 2x + y <= 10)
@constraint(model, con2, x + 2y >= 5)
```

## Containers

```
# Array of variables
@variable(model, x[1:5] >= 0)

# Constraint for each variable
@constraint(model, capacity[i=1:5],
    x[i] <= 100
)

# Sum constraint
@constraint(model, total_sum,
    sum(x[i] for i in 1:5) <= 500
)

# Matrix constraints
@variable(model, y[1:3, 1:4])
@constraint(model, matrix_con[i=1:3, j=1:4],
    y[i,j] <= i + j
)
```

## Conditional

```
# Basic conditional constraint
@constraint(model, cond[i=1:5; i > 2],
    x[i] <= 10
) # Only applies when i > 2

# Multiple conditions
@constraint(model, cond2[i=1:10, j=1:10; i != j && i + j <= 15],
```

```
x[i,j] + x[j,i] <= 1  
)
```

## Key Points for Constraints

- Use semicolon (`:`) to separate indices from conditions
- Conditions can use any valid Julia boolean expression
- Multiple conditions can be combined with `&&` (and) or `||` (or)

# Objective Function

## Declaration

```
# Maximize objective  
@objective(model, Max, 5x + 3y)  
  
# Minimize objective  
@objective(model, Min, 2x + 4y)
```

## Containers

```
# Container objective  
@variable(model, z[1:10])  
@objective(model, Min, sum(z[i] for i in 1:10))  
  
# Weighted objective  
weights = [1, 2, 3, 4, 5]  
@objective(model, Max,  
    sum(weights[i] * z[i] for i in 1:5)  
)
```

## Key Points

- Objective functions can be linear or nonlinear
- Containers are useful for weighted objectives
- Can reference external data (parameters)

# Additional Features

## Checking Bounds

```
# Checking bounds
has_lower_bound(x)                      # Check if lower bound exists
has_upper_bound(x)                      # Check if upper bound exists
lower_bound(x)                          # Get lower bound value
upper_bound(x)                          # Get upper bound value
```

## Checking Properties

```
# Check variable type
is_binary(x)                            # Is variable binary?
is_integer(x)                           # Is variable integer?
is_continuous(x)                        # Is variable continuous?

# Get variable info
name(x)                                 # Get variable name
num_variables(model)                    # Count variables in model
all_variables(model)                    # Get all variables
```

# Solver Options

```
# Create model with solver
model = Model(HiGHS.Optimizer)

# Time limits
set_time_limit_sec(model, 60)           # 60 second limit
time_limit_sec(model)                  # Get current time limit

# Tolerance settings
set_optimizer_attribute(model, "mip_rel_gap", 0.01) # 1% gap tolerance
set_optimizer_attribute(model, "mip_abs_gap", 0.1)   # Absolute gap

# Presolve options
set_optimizer_attribute(model, "presolve", "on")      # Enable presolve
set_optimizer_attribute(model, "presolve", "off")     # Disable presolve
```

## Solution Status Checks

```
# Check solution status
status = termination_status(model)      # Get solution status
is_optimal = status == MOI.OPTIMAL    # Check if optimal

# Get detailed status
primal_status(model)                  # Primal solution status
dual_status(model)                   # Dual solution status
solve_time(model)                    # Solution time

# Common status checks
if termination_status(model) == OPTIMAL
    println("Solution is optimal")
elseif termination_status(model) == TIME_LIMIT && has_values(model)
    println("Time limit reached with feasible solution")
else
    println("Problem could not be solved")
end
```

## Key Points

- Always check solution status before using results

- Set appropriate time limits for large problems
- Use gap tolerances to balance precision and speed
- Monitor solve time for performance optimization
- Consider presolve for complex problems