Multi-Objective Optimization

Lecture 8 - Management Science

Dr. Tobias Vlćek

Introduction

Client Briefing: EcoExpress Logistics

. . .

Operations Director's Dilemma:

"EU regulations demand 40% emission cuts, but we can't sacrifice profitability, service quality, or reliability!"

The Fleet Challenge

EcoExpress operates regional last-mile delivery across 3 cities

- EU Green Deal: 40% emission reduction by 2025
- Rising fuel costs (€2.1/L diesel)
- Amazon entering our market (speed pressure)
- Driver shortage (need automation-friendly vehicles)

. . .

Question: How do we transform our fleet while staying competitive?

Today's Learning Objectives

By the end of this lecture, you will be able to:

- 1. Explain why most decisions involve competing objectives
- 2. Identify and visualize Pareto optimal solutions
- 3. Apply normalization techniques to make objectives comparable
- 4. Implement apporaches to find trade-off solutions
- 5. Make decisions from a Pareto frontier

Quick Recap: Local Search

Last week we optimized routes for delivery:

- Started with greedy construction (e.g. Nearest Neighbor)
- Improved with local search (e.g. 2-opt)
- Considered time windows
- But: We only optimized distance

Question: What if we also care about emissions, cost, AND customer satisfaction?

The Problem

Single vs Multi-Objective

Single Objective

- "Minimize total distance"
- Clear winner. Easy, right!

. . .

Multiple Objectives

- "Minimize cost AND emissions AND maximize speed"
- No clear answer...

. . .

Question: Any idea how to approach this?

EcoExpress Vehicle Options


Туре	Purchase Cost (€)	Operat- ing (€/ km)	CO2 (g/km)	Speed (km/h)	Capacity (parcels)	Reliability
E-Truck	75000	0.18	0	55	300	0.93
Hybrid	45000	0.25	95	65	200	0.95
Diesel	35000	0.38	185	70	250	0.88
E-Bike	12000	0.05	0	30	50	0.98
Auto	95000	0.12	0	40	150	0.94

. . .

Question: Which vehicle is "best" for EcoExpress?

Trade-offs Everywhere





. . .

! Important

Every vehicle excels at something different!

Real Business Constraints

Beyond the numbers, consider:

- EU regulations: Carbon tax of €100/ton CO₂ starting 2025
- Competition: Amazon promises 2-hour delivery
- Labor market: Autonomous vehicles reduce driver dependency
- Urban zones: Zero-emission zones in city centers
- Peak times: Black Friday = 3x normal volume

. .


! Important

There is no single "optimal" solution - only trade-offs

Pareto Optimality

Dominated Solutions

A solution is dominated if another solution is:



!Important

Better in at least one objective and not worse in any objective!

The Pareto Frontier


The Pareto frontier is the set of all non-dominated solutions

- No solution is objectively "better"
- Each represents a different trade-off
- Moving along frontier: gain in one objective, loss in another
- Decision makers choose based on preferences

. . .

Question Do you think you get the idea?

Find the Non-Dominated




. . .

Question: Which fleets are non-dominated?

Three+ Objectives

With 3 objectives, the Pareto frontier becomes a surface:

3D Pareto Frontier (Surface)



! Important

Harder to visualize, but same principle applies!

Fleet Composition Problem

The Fleet Challenge

EcoExpress needs to replace their 80 diesel vans

- Must meet EU regulation: Average emissions ≤ 111 g CO₂/km
- Need capacity for 22,000 parcels/day
- Must balance cost vs. service quality
- 5 vehicle types available, each with trade-offs

. . .

Question: How do we choose the right mix?

Vehicle Options Recap

Туре	Purchase Cost (€)	Operat- ing (€/ km)	CO2 (g/km)	Speed (km/h)	Capacity (parcels)	Reliability
E-Truck	75000	0.18	0	55	300	0.93
Hybrid	45000	0.25	95	65	200	0.95
Diesel	35000	0.38	185	70	250	0.88
E-Bike	12000	0.05	0	30	50	0.98
Auto	95000	0.12	0	40	150	0.94

. . .

Notice: No single vehicle is "best" at everything!

Fleet Composition Framework

This is a discrete selection problem, not continuous allocation

Decision Variables:

- Fleet: How many of each vehicle type? (discrete/integer)
- n_i = number of vehicles of type i (integers!)
- Example: $n_{\mathrm{E-Truck}} = 20$, $n_{\mathrm{Hybrid}} = 30$, etc.

Objective 1: Total Cost

Purchase cost + Operating cost over 3 years

Total Cost =
$$\sum_{i} n_i \cdot (P_i + O_i \cdot d \cdot y)$$

- n_i = quantity of vehicle type i
- P_i = purchase cost of vehicle type i
- O_i = operating cost per km for type i
- d = daily distance × days per year
- y = years

Objective 2: Service Score

Composite measure of fleet performance

Service Score =
$$0.5 \cdot C_{\text{score}} + 0.3 \cdot R_{\text{score}} + 0.2 \cdot S_{\text{score}}$$

i Note

Service score captures multiple performance dimensions in one metric!

Hard Constraint: Emissions

EU regulation creates a feasibility boundary

$$\text{Average CO}_2 = \frac{\sum_i n_i \cdot e_i}{\sum_i n_i} \leq 111 \;\; \text{g/km}$$

Where e_i = CO_2 emissions per km for vehicle type i

This eliminates some solutions:

- All diesel vans: 185 g/km > 111
- Mix with too many diesel: Still violates
- Zero-emission + some diesel: Might work

Data Source

Where Do These Numbers Come From?

Vehicle Specifications:

- Purchase costs: Manufacturer quotes, market research
- Operating costs: Fuel/electricity prices, maintenance records
- Capacity: Vehicle specs (cargo volume, weight limits)

- Reliability: Historical uptime data, manufacturer warranties
- EU Standards: WLTP certification for vehicles
- Electric vehicles: Grid carbon intensity (kWh \rightarrow g CO $_2$)


Example Fleet Comparison

Three Fleet Strategies:					
name	cost service	e co2	capacity	vehicles	
Cost-Focused	28.9996 0.809705	5 120.714286	15000	70	
Balanced	19.0478 0.731846	33.928571	13250	70	
Green-Focused	15.3102 0.695373	0.00000	12750	75	
Cost-Focused: x VIOLATES (CO2: 120.7 g/km)					
Balanced: ✓ Compliant (CO2: 33.9 g/km)					
	✓ Compliant (CO	•			

. . .

Question: Which strategy would you choose?

Visualizing Fleet Trade-offs



Generated 68 feasible fleet compositions

! Important

Each point is a different fleet mix, all meeting emissions constraint!

Solution Approaches

Multi-Objective Optimization

You can use optimization solvers or heuristics!

. . .

With Optimization Solvers

- Weighted Sum Method
- ε-Constraint Method
- Goal Programming
- Optimal solutions
- Need mathematical model

With Heuristics

- Weighted Greedy Construction
- Multi-Objective Local Search
- Metaheuristics
- Good solutions, fast
- No optimality proof

. . .


! Important

In this lecture we use heuristic approaches!

Foundation: Extreme Points

First step for BOTH approaches - find the boundaries:


Step 1: Find Extreme Posttep 2: Normalize to [0,1] Scale



Question: Why is normalization essential?

Critical: Normalization

Without it, your analysis is meaningless



. . .

Question: Any intuition on how to do [0,1] normalization?

How to Normalize

The Normalization Formula for [0,1]

$$\text{Normalized}_i = \frac{x_i - x_{min}}{x_{max} - x_{min}}$$

. .

In Python, this is rather simple!

. . .

```
def normalize_objectives(data):
    return (data - data.min()) / (data.max() - data.min())

# Now weights actually mean something
weighted_score = w1 * normalize(cost) + w2 * normalize(emissions)
```

. . .



Easy, right?

Extreme Points

There are several reasons why extreme points matter:

- 1. Trade-off Space: Min/max values bound your Pareto frontier
- 2. Enable Proper Normalization: Need ranges for scaling to [0,1]
- 3. Feasibility: If single objectives not achievable, problem infeasible
- 4. Stakeholder: "Best cost is €50k, best emissions is 40kg"


. . .

Implementation Pattern:

```
def find_extreme_points(problem):
    # Solve for minimum cost (ignore emissions)
    min_cost_solution = minimize(cost_objective, constraints)
    # Solve for minimum emissions (ignore cost)
    min_emissions_solution = minimize(emissions_objective, constraints)
```

Computational Complexity

How hard does it get with more objectives?



. .

Ţip

Why? Because there are just way more potential solutions to check!

Solver-Based Methods

Quick overview - you won't implement these in assignments

- 1. Weighted Sum: Minimize $w_1 \times \text{cost} + w_2 \times \text{emissions}$
 - Simple, fast for convex problems
- 2. ϵ -Constraint: Minimize cost subject to emissions $\leq \varepsilon$
 - Systematically vary ε to find complete frontier
- 3. Goal Programming: Minimize deviations from targets
 - Set target for each objective, minimize weighted deviations

. .

i Note

For your fleet optimization: You'll use heuristic approaches instead!

Heuristic Approach

The Heuristic Strategy

For problems without mathematical models

- 1. Construction: Build initial solutions with weighted greedy
- 2. Improvement: Multi-objective local search
- 3. Selection: Filter dominated solutions to find Pareto frontier

! Important

Key difference from solvers:

- Solvers: Need mathematical model, guarantee optimality
- Heuristics: Work with any evaluation function, find good solutions fast

Why Heuristics?

Depending on the problem:


- Combinatorial explosion
- Huge solution space even for one problem
- Evaluating one solution might thus take too long
- Need diverse Pareto frontier, not just one "optimal" solution
- Open Source Solvers too slow
- Commercial solvers too expensive

. . .

Question: How do we build good solutions without a solver?

The Three-Stage Heuristic Process

Heuristic Multi-Objective Optimization Workflow




This is what you'll implement in your assignments!

Construction & Improvement

Construction Methods for MOO

How to build initial solutions when you have multiple objectives?

Method 1: Weight Mace 2 y Sequential CoMethwoodion Generate & Filter



. . .

i Note

Three choices (for starters). Let's check them out!

Weighted Greedy Construction

Making greedy choices on a weighted objective

- 1. Choose weight vector $w = (w_1, w_2)$
- 2. At each step, pick the choice that minimizes:

$$w_1 \cdot \cot(x) + w_2 \cdot \text{emissions}(x)$$

- 3. Build complete solution greedily
- 4. Repeat with different weights to explore frontier

. .

Ţip

Different weights explore different trade-offs! Easy, right?

Sequential Greedy (Lexicographic)

Optimize one objective at a time, in priority order

- 1. Rank objectives by priority
 - E.g. cost (most important) and then emissions (tie-breaker)
- 2. At each step:
 - Find choices that minimize primary objective
 - If tie → use secondary objective
- 3. Build one working solution

. . .



We could also accept primary values within 10% of best so secondary has more influence!

Diverse Starting Pool

Generate many random solutions, keep the non-dominated ones

- 1. Generate N random solutions (e.g., N=100)
- 2. Evaluate all solutions on both objectives
- 3. Filter to keep only non-dominated solutions
- 4. Result: A diverse set of Pareto-optimal solutions

. . .


♀ Tip

- Explores entire solution space
- No bias toward specific weights
- Great for warm-starting local search

Local Search for Multi-Objective

Special moves that improve multiple objectives:





Question: Which moves are acceptable?

MOO Local Search Rules

Accept a move if:

- 1. Dominance: New solution dominates current (win-win!)
- 2. Trade-off: Improves primary, acceptable loss in secondary
- 3. Probabilistic: Use temperature (like simulated annealing)

. . .

! Important

Always keep all your objectives in mind when making decisions.


From Pareto Front to Decision

How to Choose!

- 1. The Knee Point: Find the "elbow" where improvement slows
- 2. Satisficing Levels: Set minimum acceptable thresholds
 - Cost must be < €100k (budget constraint)
 - Emissions must be < 100 kg (regulatory limit)
 - Service level must be > 90% (customer requirement)
- 3. Stakeholder Preferences: Let business priorities guide
 - Sustainability: Minimum emissions that meets constraints
 - Operations: Maximum service level within budget

Weighting has an Impact

The weights thus reflect your values!



. . .

Ţip

Depending on your weight, the choice will vary.

Advanced

Speed vs Sustainability Dilemma

The Three-Way Trade-off in E-Commerce

- 1. Minimize Delivery Time (1-day/2-hour promise)
- 2. Minimize Cost (fuel, labor, fulfillment)
- 3. Minimize Environmental Impact (carbon footprint)

. . .

Faster delivery = More vehicles less full = Higher emissions

. . .

Question: What could retailers do?

Moving the Frontier

Instead of point on the frontier, move the entire frontier:

Question: Any idea of examples?

. . .



R&D can fundamentally change what's possible!

Briefing

Today

Hour 2: This Lecture

- Multi-objective
- Pareto optimality
- Weighted greedy
- Local search MOO

Hour 3: Notebook

- Bean Counter CEO
- Find Pareto frontier
- Apply weighted greedy
- Normalize objectives

Hour 4: Competition

- Fleet composition
- Vehicle selection
- · Cost vs service
- Justify choice!

The Competition Challenge

EcoExpress Sustainable Fleet Design

. . .

- 1. Select optimal fleet mix (5 vehicle types)
- 2. Balance cost vs. service score
- 3. Meet EU emission constraint (≤ 111 g CO₂/km)
- 4. Ensure sufficient capacity (22,000 parcels/day)

. .

! Important

Find the best trade-off for your business priorities!

Choosing Your MOO Approach

Different situations call for different methods:

Situation	Best	Why
Clear priorities	Sequential greedy	Fast, hierarchy
Exploring	Weighted greedy	Different solutions
Many solutions	Diverse pool	Builds frontier
Quick solution	Single weighted	One good compromise
Improve existing	Multi-objective local	Refines trade-offs

. . .



Competition? Generate diverse pool or weigted, then improve with local search.

Implementation Pitfalls to Avoid

Common bugs that cost you time:

- 1. Forgetting to Normalize
 - Always normalize to [0,1] first!
- 2. Optimizing Too Many Objectives
 - 2-3: Manageable, 4+: Exponentially harder
 - Combine related objectives or use constraints
- 3. Not Checking Solution Feasibility
 - Always verify constraints after optimization

Summary

Key Takeaways:

- Real decisions have multiple conflicting objectives
- Pareto frontier shows all rational trade-offs
- Normalization is essential for fair comparison
- Weights reflect values, make them explicit
- Visualization crucial for decision-making

Break!

Take 20 minutes, then we start the practice notebook

Next up: You'll become Bean Counter's expert

Then: The Sustainability competition

Bibliography